

Aquaculture

VOL. 306 NOS. 1-4

CONTENTS

15 AUGUST 2010

(Abstracts/contents list published in: *Aquatic Science and Fisheries Abstracts*, *Biological Abstracts*, *Elsevier BIOBASE/Current Awareness in Biological Sciences*, *Current Contents A, B & ES*, *EMBIology*, *Environment Abstracts*, *Freshwater and Aquaculture Contents Tables*, *Geo Abstracts*, *Geobase*, *Marine Science Contents Tables*, *Zoological Record*). Also covered in the abstract and citation database SCOPUS®.
Full text available in ScienceDirect®

Reviews

- Anaerobic digestion of sludge from intensive recirculating aquaculture systems: Review
N. Mirzoyan (Midreshet Ben Gurion, Israel), Y. Tal (Baltimore, MD, USA) and A. Gross (Midreshet Ben Gurion, Israel) 1
- Chemical use in salmon aquaculture: A review of current practices and possible environmental effects
L. Burridge (St. Andrews, New Brunswick, Canada), J.S. Weis (Newark, New Jersey, United States), F. Cabello (Valhalla, New York, United States), J. Pizarro (Santiago, Chile) and K. Bostick (NW Washington, DC, United States) 7
- Success stories in Asian aquaculture (Eds Sena S De Silva and F. Brian Davy) Springer 2010
D.C. Little (Scotland, UK) 24
- Crustacean diseases in European legislation: Implications for importing and exporting nations
G.D. Stentiford, B. Oidtmann, A. Scott and E.J. Peeler (Dorset, United Kingdom) 27

Genetics

- Dietary N-Acetylcysteine (NAC) prevents histopathological changes in tilapias (*Oreochromis niloticus*) exposed to a microcystin-producing cyanobacterial water bloom
M. Puerto, A.I. Prieto, A. Jos, I. Moreno (Seville, Spain), R. Moyano, A. Blanco (Córdoba, Spain) and A.M. Cameán (Seville, Spain) 35
- Immune response of sea cucumber *Apostichopus japonicus* coelomocytes to several immunostimulants *in vitro*
M. Gu, H. Ma, K. Mai, W. Zhang, Q. Ai, X. Wang and N. Bai (Qingdao, PR China) 49
- Novel microsatellites for multiplex PCRs in the Humpback grouper, *Cromileptes altivelis* (Valenciennes, 1828), and applications for broodstock management
U. Na-Nakorn, R. Yashiro, A. Wachirachaiarn, W. Prakoon and N. Pansaen (Bangkok, Thailand) 57
- Selection experiments to alter the sex ratio in rainbow trout (*Oncorhynchus mykiss*) by means of temperature treatment
A. Magerhans and G. Hörstgen-Schwark (Göttingen, Germany) 63
- Use of laboratory assays to predict subsequent growth and survival of Pacific oyster (*Crassostrea gigas*) families planted in coastal waters
R.P. Lang, C.J. Langdon, N.G. Taris and M.D. Camara (Newport, OR, USA) 68

(continued on last page of this issue)

Visit the Elsevier Aquaculture Website today!

New FREE Online Features:

- Table of Contents NOW WITH ABSTRACTS
- Full Search on Abstracts, Authors and Keywords
- Author and Subject Index

Bookmark: <http://www.elsevier.com/locate/aqua-online>
or <http://www.elsevier.com/locate/aqua-online>



0044-8486(20100815)306:1-4;1-S

Available online at www.sciencedirect.com



ScienceDirect

Production Science

| | |
|---|-----|
| Effects of dietary ethoxyquin on growth performance and body composition of large yellow croaker <i>Pseudosciaena crocea</i> J. Wang, Q. Ai, K. Mai, W. Xu, H. Xu, W. Zhang, X. Wang and Z. Liufu (Qingdao, PR China) | 80 |
| Effects of location and time of <i>Pinctada margaritifera</i> spat transfer from hatchery, on its growth and mortality in the sea F. Ehteshami (Selangor, Malaysia; Tehran, Iran), A. Christianus (Selangor, Malaysia) and H. Rameshi (Tehran, Iran) | 85 |
| Seed production practices of striped catfish, <i>Pangasianodon hypophthalmus</i> in the Mekong Delta region, Vietnam T.M. Bui (Can Tho, Vietnam), L.T. Phan (Ho Chi Minh City, Vietnam), B.A. Ingram (Victoria, Melbourne, Australia), T.T.T. Nguyen (Bangkok, Thailand), G.J. Gooley (Victoria, Melbourne, Australia), H.V. Nguyen (Ho, Chi Minh City, Vietnam), P.T. Nguyen (Can Tho, Vietnam) and S.S. De Silva (Bangkok, Thailand; Warrnambool, Victoria, Australia) | 92 |
| Does bivalve mollusc polyculture reduce marine fin fish farming environmental impact? F. Navarrete-Mier, C. Sanz-Lázaro and A. Marín (Murcia, Spain) | 101 |
| The impact of elevated water ammonia concentration on physiology, growth and feed intake of African catfish (<i>Clarias gariepinus</i>) E. Schram (IJmuiden, The Netherlands), J.A.C. Roques (IJmuiden, Nijmegen, The Netherlands), W. Abbink (IJmuiden, The Netherlands), T. Spanings (Nijmegen, The Netherlands), P. de Vries, S. Bierman, H. van de Vis (IJmuiden, The Netherlands) and G. Flik (Nijmegen, The Netherlands) | 108 |
| Ecological-economic assessment of aquaculture options: Comparison between abalone monoculture and integrated multi-trophic aquaculture of abalone and seaweeds A.M. Nobre (Caparica, Portugal), D. Robertson-Andersson (Bellville, South Africa), A. Neori (Eilat, Israel) and K. Sankar (Rondebosch, South Africa) | 116 |
| Effects of C/N ratio and substrate addition on natural food communities in freshwater prawn monoculture ponds M. Asaduzzaman (Mymensingh, Bangladesh), M.M. Rahman (Kagoshima, Japan), M.E. Azim (Toronto, Ontario, Canada), M.A. Islam, M.A. Wahab (Mymensingh, Bangladesh), M.C.J. Verdegem and J.A.J. Verreth (Wageningen, The Netherlands) | 127 |
| Effect of daily thermo- and photo-cycles of different light spectrum on the development of Senegal sole (<i>Solea senegalensis</i>) larvae B. Blanco-Vives, N. Villamizar (Murcia, Spain), J. Ramos, M.J. Bayarri (Castellón, Spain), O. Chereguini (Cantabria, Spain), and F.J. Sánchez-Vázquez (Murcia, Spain) | 137 |
| Efficacy of flumequine administered by bath or through medicated nauplii of <i>Artemia franciscana</i> (L.) in the treatment of vibriosis in sea bass larvae M. Touraki, I. Niopas (Thessaloniki, Greece), E. Ladoukakis (Greece) and V. Karagiannis (Thessaloniki, Greece) | 146 |
| Keeping the water clean – Seaweed biofiltration outperforms traditional bacterial biofilms in recirculating aquaculture P.L. Cahill (Nelson, New Zealand), C.L. Hurd and M. Lokman (Dunedin, New Zealand) | 153 |
| The effects of temperature and size on the growth, energy budget and waste outputs of barramundi (<i>Lates calcarifer</i>) M. Bermudes, B. Glencross, K. Austen (North Beach, WA, Australia) and W. Hawkins (Baron-Hay Court, WA, Australia) | 160 |
| Experimental data on growth, mortality and reproduction of <i>Ostrea edulis</i> (L., 1758) in a semi-enclosed basin of the Mediterranean Sea R. Carlucci, G. Sassanelli, A. Matarrese, A. Giove and G. D'Onghia (Bari, Italy) | 167 |
| Biodiversity of N-cycle bacteria in nitrogen removing moving bed biofilters for freshwater recirculating aquaculture systems M.A.H.J. van Kessel, H.R. Harhangi, K. van de Pas-Schoonen (Nijmegen, the Netherlands), J. van de Vossenberg (Nieuwegein, The Netherlands), G. Flik, M.S.M. Jetten, P.H.M. Klaren and H.J.M. Op den Camp (Nijmegen, the Netherlands) | 177 |
| Reproductive cycle and ovarian development of the marine ornamental shrimp <i>Stenopus hispidus</i> in captivity R.A. Gregati, V. Fransozo (Botucatu, Brazil), L.S. López-Greco (Buenos Aires, Argentina) and M.L. Negreiros-Fransozo (Botucatu, Brazil) | 185 |
| Assessing topical treatment interventions on Scottish salmon farms using a sea lice (<i>Lepeophtheirus salmonis</i>) population model C. Robbins (Derbyshire, UK), G. Gettinby, F. Lees, M. Baillie (Glasgow, UK), C. Wallace (Fort William, UK) and C.W. Revie (Charlottetown, PE, Canada) | 191 |
| Development of gas bubble disease in juvenile Atlantic salmon exposed to water supersaturated with oxygen Å.M. Espmark, K. Hjelde and G. Baeverfjord (Sunndalsøra, Norway) | 198 |
| A Bayesian hierarchical model for modeling white shrimp (<i>Litopenaeus vannamei</i>) growth in a commercial shrimp farm R. Yu and P. Leung (Honolulu, HI, United States) | 205 |
| Evaluation of behavioral changes induced by a first step of domestication or selection for growth in the European sea bass (<i>Dicentrarchus labrax</i>): A self-feeding approach under repeated acute stress S. Millot, S. Péan, D. Leguay (L'Houmeau, France), A. Vergnet, B. Chatain (Palavas-les-Flots, France) and M.-L. Bégout (L'Houmeau, France) | 211 |
| Nutrition | |
| Effects of discontinuous administration of β -glucan and glycyrrhizin on the growth and immunity of white shrimp <i>Litopenaeus vannamei</i> N. Bai, W. Zhang, K. Mai, X. Wang, W. Xu and H. Ma (Qingdao, PR China) | 218 |
| Growth, flesh adiposity and fatty acid composition of Atlantic salmon (<i>Salmo salar</i>) families with contrasting flesh adiposity: Effects of replacement of dietary fish oil with vegetable oils J.G. Bell, J. Pratoomyot, F. Strachan, R.J. Henderson (Scotland, UK), R. Fontanillas (Stavanger, Norway), A. Hebard (Essex, UK), D.R. Guy (Scotland, UK), D. Hunter and D.R. Tocher (Scotland, UK) | 225 |

| | |
|--|-----|
| Influence of partial substitution of dietary fish meal on the activity of digestive enzymes in the intestinal brush border membrane of gilthead sea bream, <i>Sparus aurata</i> and goldfish, <i>Carassius auratus</i> F.C.P. Silva, J.R. Nicoli (Belo Horizonte, Brazil), J.L. Zambonino-Infante, M.-M. Le Gall (Plouzané, France), S. Kaushik (St Pée Sur Nivelle, France) and F.-J. Gatesoupe (Plouzané, St Pée Sur Nivelle, France) | 233 |
| Apparent digestibility of selected feed ingredients for Chinese sucker, <i>Myxocyprinus asiaticus</i> Y.-c. Yuan, S.-y. Gong, H.-j. Yang, Y.-c. Lin, D.-h. Yu and Z. Luo (Wuhan, China) | 238 |
| Application of an <i>in vitro</i> gastrointestinal model to evaluate nitrogen and phosphorus bioaccessibility and bioavailability in fish feed ingredients G.A. Morales and F.J. Moyano (Almería, Spain) | 244 |
| The effects of microencapsulated bovine insulin given to <i>Litopenaeus vannamei</i> juveniles as a feed additive on growth, metabolism, and digestive enzyme activities J.P. Gonzalez, O.C. Farnés (Ciudad de la Habana, Cuba), G. Gaxiola, C. Pascual and C. Rosas (Yucatán, México) | 252 |
| Increasing the level of selenium in rotifers (<i>Brachionus plicatilis</i> 'Cayman') enhances the mRNA expression and activity of glutathione peroxidase in cod (<i>Gadus morhua</i> L.) larvae S. Penglase, A. Nordgreen (Bergen, Norway), T. van der Meeren (Storebø, Norway), P.A. Olsvik, Ø. Sæle (Bergen, Norway), J.W. Sweetman (County Meath, Ireland), G. Baeverfjord, S. Helland (Sunndalsøna, Norway) and K. Hamre (Bergen, Norway) | 259 |
| Optimising the delivery of the key dietary diatom <i>Chaetoceros calcitrans</i> to intensively cultured Greenshell™ mussel larvae, <i>Perna canaliculus</i> N.L.C. Ragg, N. King, E. Watts and J. Morrish (Nelson, New Zealand) | 270 |
| Influence of two closely related probiotics on juvenile Senegalese sole (<i>Solea senegalensis</i> , Kaup 1858) performance and protection against <i>Photobacterium damsela</i> subsp. <i>piscicida</i> I. García de La Banda, C. Lobo (Santander, Spain), J.M. León-Rubio, S. Tapia-Paniagua, M.C. Balebona, M.A. Moriñigo (Málaga, Spain), X. Moreno-Ventas, L.M. Lucas (Santander, Spain), F. Linares (Pontevedra, Spain), F. Arce (Santander, Spain) and S. Arijó (Málaga, Spain) | 281 |
| Nutritional evaluation of mysids <i>Mesopodopsis orientalis</i> (Crustacea:Mysida) as live food for grouper <i>Epinephelus fuscoguttatus</i> larvae P.S. Eusebio, R.M. Coloso and R.S.J. Gapasin (Iloilo, Philippines) | 289 |
| The effect of triploidy on juvenile Atlantic salmon (<i>Salmo salar</i>) response to varying levels of dietary phosphorus H.A. Burke, C.F.D. Sacobie (Fredericton, New Brunswick, Canada), S.P. Lall (Halifax, Nova Scotia, Canada) and T.J. Benfey (Fredericton, New Brunswick, Canada) | 295 |
| Induction of heat tolerance in autochthonous and allochthonous thermotolerant probiotics for application to white shrimp feed B. Kosin and S.K. Rakshit (Pathumthani, Thailand) | 302 |
| Soybean lectins and trypsin inhibitors, but not oligosaccharides or the interactions of factors, impact weight gain of rainbow trout (<i>Oncorhynchus mykiss</i>) S.D. Hart, A.S. Bharadwaj and P.B. Brown (West Lafayette, IN, USA) | 310 |
| Physiology and Endocrinology | |
| Feeding time synchronises daily rhythms of behaviour and digestive physiology in gilthead seabream (<i>Sparus aurata</i>) A. Montoya, J.F. López-Olmeda (Murcia, Spain), M. Yúfera (Cádiz, Spain), M.J. Sánchez-Muros (Almería, Spain) and F.J. Sánchez-Vázquez (Murcia, Spain) | 315 |
| Molecular cloning and mRNA expression pattern of Sox9 during sex reversal in orange-spotted grouper (<i>Epinephelus coioides</i>) Y.-S. Luo (Wuhan, Beijing, PR China), W. Hu (Wuhan, China), X.-C. Liu, H.-R. Lin (Guangzhou, PR China) and Z.-Y. Zhu (Wuhan, PR China) | 322 |
| Acute toxicity of ammonia in white shrimp (<i>Litopenaeus schmitti</i>) (Burkenroad, 1936, Crustacea) at different salinity levels E. Barbieri (Canaanéia, Brazil) | 329 |
| Larval settlement and metamorphosis of the pearl oyster <i>Pinctada fucata</i> in response to biofilms X. Yu (Guangzhou, China), W. He (China), H. Li, Y. Yan and C. Lin (Guangzhou, China) | 334 |
| Tilapia growth hormone binds to a receptor in brush border membrane vesicles from the hepatopancreas of shrimp <i>Litopenaeus vannamei</i> D. Santiesteban, L. Martín, A. Arenal, R. Franco and J. Sotolongo (Camagüey, Cuba) | 338 |
| Influence of the lunar cycle on plasma melatonin, vitellogenin and sex steroids rhythms in Senegal sole, <i>Solea senegalensis</i> C. Oliveira (Murcia, Spain), N.J. Duncan (Tarragona, Spain), P. Pousão-Ferreira (Olhão, Portugal), E. Mañanós (Castellón, Spain) and F.J. Sánchez-Vázquez (Murcia, Spain) | 343 |
| Effects of salinity on energy budget in pond-cultured sea cucumber <i>Apostichopus japonicus</i> (Selenka) (Echinodermata: Holothuroidea) X. Yuan (Dalian, Qingdao, PR China), H. Yang (Qingdao, PR China), L. Wang (Dalian, PR China), Y. Zhou (Qingdao, PR China) and H.R. Gabr (Ismailia, Egypt) | 348 |
| Effect of salinity on survival, growth, food consumption and haemolymph osmolality of the pink shrimp <i>Farfantepenaeus subtilis</i> (Pérez-Farfante, 1967) E. Silva, N. Calazans, M. Soares, R. Soares and S. Peixoto (Recife, Brazil) | 352 |
| Development of sperm cryopreservation techniques in pejerrey <i>Odontesthes bonariensis</i> G. Lichtenstein, M. Elisio and L.A. Miranda (Buenos Aires, Argentina) | 357 |
| Short Communications | |
| Selection of brooders from early maturing freshwater prawns (<i>Macrobrachium rosenbergii</i>) results in faster growth rates of offspring than in those selected from late maturing prawns N. Kitcharoen, S. Koonawootrittriron and U. Na-Nakorn (Bangkok, Thailand) | 362 |

| | |
|---|-----|
| Genotype by environment interactions for growth in European seabass (<i>Dicentrarchus labrax</i>) are large when growth rate rather than weight is considered M. Dupont-Nivet (Jouy-en-Josas, France), B. Karahan-Nomm (Izmir, Turkey), A. Vergnet (Palavas-les-Flots, France), O. Merdy (Jouy-en-Josas, France), P. Haffray (Rennes, France), H. Chavanne (Torre Canne di Fasano, Italy), B. Chatain (Palavas-les-Flots, France) and M. Vandeputte (Jouy-en-Josas, Palavas-les-Flots, France) | 365 |
| Polychaete-assisted sand filters P.J. Palmer (Woorim, Queensland, Australia) | 369 |
| Can dissolved aquatic humic substances reduce the toxicity of ammonia and nitrite in recirculating aquaculture systems? T. Meinelt (Berlin, Germany), H. Kroupova (Vodnany, Czech Republic), A. Stüber, B. Rennert (Berlin, Germany), A. Wienke (Halle, Germany) and C.E.W. Steinberg (Berlin, Germany) | 378 |
| Exploration and learning of demand-feeding in Atlantic cod (<i>Gadus morhua</i>) J. Nilsson and T. Torgersen (Bergen, Norway) | 384 |
| The role of bacterial biofilms and exudates on the settlement of mussel (<i>Perna canaliculus</i>) larvae A.M. Ganesan, A.C. Alfaro, J.D. Brooks and C.M. Higgins (Auckland, New Zealand) | 388 |
| Growth and compensatory growth of juvenile <i>Pangasius bocourti</i> Sauvage, 1880 relative to ration W. Jiwyam (Nong Khai Province, Thailand) | 393 |
| Dietary microbial levan enhances tolerance of <i>Labeo rohita</i> (Hamilton) juveniles to thermal stress S.K. Gupta, A.K. Pal, N.P. Sahu, R.S. Dalvi, M.S. Akhtar, A.K. Jha (Mumbai, India) and K. Baruah (Gent, Belgium) | 398 |
| Essential oil of <i>Lippia alba</i> : A new anesthetic for silver catfish, <i>Rhamdia quelen</i> M.A. da Cunha, F.M.C. de Barros, L. de Oliveira Garcia, A.P. de Lima Veeck, B.M. Heinzmann, V.L. Loro, T. Emanuelli and B. Baldisserotto (Santa Maria, Brazil) | 403 |
| Controlled reproduction of asp, <i>Aspius aspius</i> (L.) using luteinizing hormone releasing hormone (LHRH) analogues with dopamine inhibitors K. Targońska, D. Kucharczyk, R. Kujawa, A. Mamcarz and D. Żarski (Poland) | 407 |
| Obituary | |
| Obituary: Pierre Luquet S.J. Kaushik (Saint Pee-sur-Nivelle, France) | 411 |